


ATON SOLAR
LIGHTENING WORLD



SEMIFLEXIBLE PANEL FOR TENTS, PORTACABINS AND VEHICLES



Helpline No. +918447778787
Email: info@atonsolar.in
Website: www.atonsolar.in



NOW YOU CAN POWER VEHICLE

CARS, BOATS, ERICKSHAWS, BUSES, TRUCKS

using Aton Solar's semi flexible panels
which can easily be pasted or fixed on any roof type.

TENT

ARMY TENT, RECREATIONAL TENT OR MOUNTAIN CAMPS

Aton Solar's range of semi flexible panels are light weight
which can be easily hooked up or pasted on tent cloth.

Whether .

PORTACABIN

GUARD CABIN, MOBILE VANS, MOBILE TOILET, COLD ROOM

Aton Solar's semi flexible solar panels can easily be mounted
or pasted aton Portacabin's roof .

Helpline No. +918447778787

Email: info@atonsolar.in

Website: www.atonsolar.in



SEMI FLEXIBLE SOLAR PANEL

Light Weight And Flexible Solar Panel

Product	25 watts semi flexible solar panel	60 watts semi flexible solar panel	120 watts semi flexible solar panel
Specification	25 watts	60 watts	120 watts
Model No.	ATONFPV025	ATONFPV060	ATONFPV120
Peak Power Pmax (Wp)	25W	60W	120W
Maximum Voltage Vmpp(V)	19.1V	19.1V	19.1V
Maximum Current Impp(a)	1.31A	3.15A	6.29A
Open Circuit Voltage Voc(V)	21.98V	21.98V	21.98V
Short Circuit Current Isc(a)	1.33A	3.32A	6.65A
Module Efficiency (%)	19.2%	19.5%	20%
Tc Of Open Circuit Voltage(β)	-0.310%/°C	-0.310%/°C	-0.310%/°C
Tc Of Short Circuit Current(α)	0.052%/°C	0.052%/°C	0.052%/°C
Tc Of Power(γ)	-0.409%/°C	-0.409%/°C	-0.409%/°C
Maximum System Voltage	1000V	1000V	1000V
Length x Width	400 mm x 325 mm	400 mm x 770 mm	400 mm x 1500 mm
Weight	0.25Kg	0.25Kg	0.25Kg
Junction Box	IP67, 1 by pass diodes	IP67, 1 by pass diodes	IP67, 1 by pass diodes
Frame	Frameless	Frameless	Frameless

ATON SOLAR
LIGHTENING WORLD



FOR MORE INFORMATION

Contact

+918447778787

Email Id

sales@atonsolar.in

Helpline No. +918447778787

Email: info@atonsolar.in

Website: www.atonsolar.in

